

General Table of OTTO Primers

Revised recommendations

Bold = Please note, that the primers 1215, 1217 and 1218 are under the duty to inform and to record (e.g. selfservice interdiction), according to the EU regulation of chemical interdiction from 01.11.05 on.

according to the EU regulation of chemical interdiction from 01.11.05 on.
Please observe the technical data sheets and material safety data sheets.

Preliminary

- Remarks:**

 - + = good adhesion without primer
 - = not suitable

Rx = In case of permanent or repeated contact with water,
please contact us

T = Test recommended

**The adhesion on a certain substrate does not necessarily qualify the product for all other applications.
Please consult the Technical Datasheets.**

Special Notice

Special Notice:
For joints with silicone avoid direct contact with materials containing bitumen and releasing plasticisers such as butyl, EPDM, neoprene, insulating and black coatings etc. It is a general rule that when using the recommended primer the self-adhesion of the products on the surfaces mentioned is substantially improved. In view of the differing working conditions in the construction industry it is recommended to check the expedience of the planned work tasks and the material quantities required in each case by performing a test. Please also observe our technical data sheets!

Notes:

Notes: The information in the present document corresponds to the status quo on going to print, refer to the index.

The information in the present document corresponds to the status quo on going to print, refer to the index.
Owing to the many types and conditions of applications in which our products are used, it is always necessary for the user to test and verify in practice all important product properties for the respective purpose of the applications before using them. To this end, pay attention to the information in the relevant updated technical datasheet. This information is available on the Internet at www.otto-chemie.com. Errors and typographical errors are excepted.



Hermann Otto GmbH · Krankenhausstr. 14 · 83413 Fridolfing, GERMANY
Tel.: 0049-8684-908-0 · Fax: 0049-8684-1260
E-mail: info@otto-chemie.de · Internet: www.otto-chemie.com